

09/331930

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

1/25

6436670

2/25

3/25

Fig. 1A

660E90-0E6TEE60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

2/25

660850 DEFT60

50 60

K I V L K K W Y T I F K D H V S L G D Y

AAGATCGTTCCTTAAAGTGACACGATTTTAAAGGACCATGTATCTCTGGGAGATTAT

TTCTAGCAAGAAATTTTCACCATGTGCTAAATAATTCCTGGTACATAGAGACCCCTCTAATA

70

E I H D G M N L E L Y Y Q STOP

GAAATCCACGATGGGATGAACCTGGAGCTTTATTACCAGTAGAGGGGAATTCCCTCCACC

CTTAGGTGCTACCCCTACTTGGACCTCGAAATAATGGTCATCTCCCCCTTAAGGAGGTGG

TTGCCCAACCTTGCTTTCCTCTCCCATGGCTCATTTAACACTGTTGTAGATGCTCATTTT

AACGGGTGGAAACGAAAGGAGAGGGTACCGAGTAAATTGTGACAAACATCTACGAGTAAAAA

AACAAATTCACATGAATAAAACTTTGATGCTGCAAAAAAAA 3'

TTGTTAAGTGACT 5'

Fig. 1A (i)

660E90 DELETED

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

3/25

50 60

K I V L K K W Y T I F K D H V S L G D Y

AAGATCGTTCTTAAAGTGGTACACGATTTTAAAGGACCATGTATCTCTGGGAGATTAT

TTCTAGCAAGAAATTTTCACCATGTGCTAAATAATTCCTGGTACATAGAGACCCCTCTAATA

70

E I H D G M N L E L Y Y Q STOP

GAAATCCAGATGGGATGAACCTGGAGCTTTATTACCAGTAGAGGGGAATTCCTCCACC

CTTTAGGTGCTACCCCTACTTGGACCTCGAAATAATGGTCATCTCCCCCTTAAGGAGGTGG

TTGCCCAACCTTGCTTTCCTCTCCCATGGCTCATTTAACACTGTTGTAGATGCTCATTTT

AACGGGTTGGAACGAAAGAGAGGGTACCGAGTAAATTTGTGACAAACATCTACGAGTAAAAA

AACAATTACATGAATAAAAACTTTGATGCTGCAAAAAAAA 3'

TTGTTAAGTGCTACT 5'

Fig. 1A (ii)

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

4/25

ATG ATC GAG GTT GTT TGC AAC GAC CGT CTG GGG AAA AAG GTC CNC 45
Met Ile Glu Val Val Cys Asn Asp Arg Leu Gly Lys Lys Val Xaa
1 5 10 15

GTT AAA TGC AAC ACG GAT GAT ACC ATC GGG GAC CTT AAG AAG CTG 90
Val Lys Cys Asn Thr Asp Asp Thr Ile Gly Asp Leu Lys Lys Leu
20 25 30

102

ATT GCA GCC TAA

Ile Ala Ala *

Fig.1B

660E90-DE6TFE60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	691

09/331930

5/25

660E90-0E6FEE60




Fig.2A

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

6/25

660E90" DE6TEE60

AMINO ACID ALIGNMENTS	10	20	30	40	50
A.	*	*	*	*	*
Beacon	MIEVVCNDRLGKKVRVVCNTDDTIGDLKKLIAAQTGTRWNKIVLKKWYTI				
Human	MIEVVCNDRLGKKVRVVCNTDDTIGDLKKLIAAQTGTRWNKIVLKKWYTI				
Mouse	MIEVVCNDRLGKKVRVVCNTDDTIGDLKKLIAAQTGTRWNKIVLKKWYTI				
C.elegans	MIEITVNDRLGKKVRIKCNPSDTIGDLKKLIAAQTGTRWEKIVLKKWYTI				
F.hepatica	DRLGKKVRVVCNPTDKVGDLLKLLIAAQTGTAPERIVLKKWYTI				
Rice	MIEVVCNDRLGKKVRVVCNTDDTIGDLKKLIAAQTGTRWNKIVLKKWYTI				
S.cerev	MIEVVCNDRLGKKVRVVCNTDDTIGDLKKLIAAQTGTRWNKIVLKKWYTI				

Fig.2A (i)

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

7/25

660E90 DE6TEE60

	60	70
	*	*
Beacon	FKDHVSLGDYEIHDGMNLELYYQ	
Human	FKDHVSLGDYEIHDGMNLELYYQ	
Mouse	FKDHVSLGDYEIHDGMNLELYYQ	
C.elegans	YKDHIITLMDYEIHEGFNFELYQ	
F.hepatica	YKDHVTLRDYEINDGMNLELYYQ	
Rice	YKDHIITLADYEIHDGMGLELYYN	
S.cerev	LKDHICLEDYEVHDQTNLELYYL	

percentage	homologies
Human	73/73 = 100%
Mouse	73/73 = 100%
C.elegans	59/73 = 81%
F.hepatica	54/66 = 82%
Rice	58/73 = 79%
S.cerev	46/73 = 63%

Fig.2A (ii)

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

8/25

9/25

10/25

Fig.2B

660E90" 0E6FE60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

10/25

Ubiquitin-like protein 8 (A. thaliana)

	10	20	30	40	50
	*	*	*	*	*
Beacon	MIEVVCNDRLGKKVRVKCNTDDTIGDLKKLIAAQGTGRWNKIVLKKWYTI				
	+ ++ + ++ + + ++ + +				
A. thaliana	GKTIILEVSSDTIANVKEKIQVKEGIKPDQQMLIFFGQQ				

Beacon FKDHVSLGDYEIHDGMNLELYYQ

+| +| +| +| +| +| +| +|

A. thaliana LEDGVTGLGDYDIHKKSTLYL

Amino acid homology 19/60 = 32%

Positives (similar amino acids) 34/60 = 57%

Fig.2B (ii)

11/25




Fig.3A




Fig.3B

660E90-DEBTEE60

12/25




Fig.4A




Fig.4B

660E90" 0E6TEE60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

14/25




Fig.5C




Fig.5D

650290-026TE60

15/25




Fig.6




Fig.7

16/25




Fig. 8A




Fig. 8B

17/25




Fig.9A



* = significant, $p < 0.05$

Fig.9B

18/25




Fig.9C




Fig. 10A

* = significant, $p < 0.05$

Figure 1 shows a sequence of 12 diagrams illustrating the evolution of a 2D pattern. The diagrams are labeled 1 through 12. Diagram 1 is a noisy '0'. Diagrams 2-11 show intermediate stages of smoothing and feature extraction. Diagram 12 is a clean '0' with a bounding box. The diagrams are arranged in a single column.

19/25




Fig.10B




Fig.10C

* = significant, $p < 0.05$

660E90-066TE660

20/25

Cumulative food Intake




Fig.11A

Cumulative food Intake



* = significant, $p < 0.05$

Fig.11B

660E90-0E6TEED0

21/25




Fig.11C

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN	435	69.1

09/331930

22/25

Beacon v. Body Weight and % Fat in Group A animals




Fig.12A




Fig.12B

23/25

Beacon v. % Body Fat




Fig. 13A




Fig. 13B